

Effective February 1, 2024

This Price List supersedes all previous prices. All prices are subject to change without notice. All prices are FOB Ann Arbor, Michigan, USA except on orders of \$14,500 or more at list prices, surface freight will be prepaid or allowed to any point within Canada or the Continental U.S

FOOT VALVES

45° BASIC SERIES SCREEN

45° OD TUBING (pg. 4)



SFV2
SFV3
SFV4
SFV5
SFV6
SFV8
SFV10

45° FEMALE PIPE THREAD (pg. 4)



SFV2FP
SFV3FP
SFV4FP
SFV5FP
SFV6FP
SFV8FP
SFV10FP

45° COMPANION FLANGE (pg. 4)



SFV2CF
SFV3CF
SFV4CF
SFV5CF
SFV6CF
SFV8CF
SFV10CF

VERTICAL BASIC SERIES SCREEN

VERTICAL-OD TUBING (pg. 5)



SFVV3
SFVV4
SFVV5
SFVV6
SFVV8
SFVV10

VERTICAL-FEMALE PIPE THREAD (pg. 5)



SFVV2FP
SFVV3FP
SFVV4FP
SFVV5FP
SFVV6FP
SFVV8FP
SFVV10FP

VERTICAL-COMPANION FLANGE (pg. 5)



SFVV2CF
SFVV3CF
SFVV4CF
SFVV5CF
SFVV6CF
SFVV8CF
SFVV10CF
SFVV12CF

STAINLESS STEEL OPTIONS

FOOT VALVES with Stainless Steel Nuts & Bolts

PART # followed by SS (for example **SFV6-SS**)

FOOT VALVES with Stainless Steel Nuts & Bolts and Stainless Steel Screen (1/4" holes)

PART # followed by SS-SS (for example **SFV6-SS-SS**)

Add this amount to OD tubing attachment
Basic Foot Valves above

		SS	SS-SS
3"	add	24.35	
4"	add	26.05	
5"	add	29.60	
6"	add	34.30	
8"	add	25.00	
10"	add	32.70	

Add this amount to Companion Flange &
Threaded Basic Foot Valves above

		SS	SS-SS
3"	add	14.75	
4"	add	16.45	
5"	add	20.00	
6"	add	24.70	
8"	add	15.40	
10"	add	16.80	

Order Processing Charge
When an order is shipped that lists for less than \$100.00,
there will be an order processing charge of \$6.00 added to the invoice.

NORM'S

IRRIGATION SUPPLY, INC.

FOOT VALVES

X-SERIES (1/8" holes standard)

45° OD TUBING (pg. 6)



SFV2X9
SFV2X14
SFV3X9
SFV3X14
SFV4X9
SFV4X14
SFV5X11
SFV5X18
SFV6X11
SFV6X18

VERTICAL OD TUBING (pg. 6)



SFVV3X9
SFVV3X14
SFVV4X9
SFVV4X14
SFVV5X11
SFVV5X18
SFVV6X11
SFVV6X18

J-SERIES - Single Screen

45° OD TUBING (pg. 7)



SFVJ4
SFVJ5
SFVJ6
SFVJ8

45° FEMALE PIPE THREAD (pg. 7)



SFVJ4FP
SFVJ5FP
SFVJ6FP
SFVJ8FP

45° COMPANION FLANGE (pg. 7)



SFVJ4CF
SFVJ5CF
SFVJ6CF
SFVJ8CF

J-SERIES - Double Decked Screen

45° OD TUBING (pg. 7)



SFVJ4-D
SFVJ5-D
SFVJ6-D
SFVJ8-D

P. O. BOX 73
DEXTER, OREGON 97431

(541) 747-7616 • Fax: (541) 747-9729
normsirrigation@yahoo.com

VERTICAL-FEMALE PIPE THREAD (pg. 6)



SFVV2FPX9
SFVV2FPX14
SFVV3FPX9
SFVV3FPX14
SFVV4FPX9
SFVV4FPX14
SFVV5FPX11
SFVV5FPX18
SFVV6FPX11
SFVV6FPX18

VERTICAL-COMPANION FLANGE (pg. 6)



SFVV2CFX9
SFVV2CFX14
SFVV3CFX9
SFVV3CFX14
SFVV4CFX9
SFVV4CFX14
SFVV5CFX11
SFVV5CFX18
SFVV6CFX11
SFVV6CFX18

VERTICAL-OD TUBING (pg. 7)



SFVVJ4
SFVVJ5
SFVVJ6
SFVVJ8

VERTICAL-FEMALE PIPE THREAD (pg. 7)



SFVVJ4FP
SFVVJ5FP
SFVVJ6FP
SFVVJ8FP

VERTICAL-COMPANION FLANGE (pg. 7)



SFVVJ4CF
SFVVJ5CF
SFVVJ6CF
SFVVJ8CF



SFVVJ4-D
SFVVJ5-D
SFVVJ6-D
SFVVJ8-D

FOOT VALVES

J-SERIES - Double Decked Screen (continued)



45° FEMALE PIPE THREAD (pg. 7)

SFVJ4FP-D
SFVJ5FP-D
SFVJ6FP-D
SFVJ8FP-D



45° COMPANION FLANGE (pg. 7)

SFVJ4CF-D
SFVJ5CF-D
SFVJ6CF-D
SFVJ8CF-D



VERTICAL FEMALE PIPE THREAD (pg. 7)

SFVVJ4FP-D
SFVVJ5FP-D
SFVVJ6FP-D
SFVVJ8FP-D



VERTICAL COMPANION FLANGE (pg. 7)

SFVVJ4CF-D
SFVVJ5CF-D
SFVVJ6CF-D
SFVVJ8CF-D

HORIZONTAL-SERIES



HORIZONTAL STRAINERS with BASIC FOOT VALVES (pg. 8)

SFSHV4
SFSHV6
SFSHV8



HORIZONTAL-JD (pg. 8)

SFSHV10-DD



HORIZONTAL-XL (pg. 8)

SFSHV12CFXL

FOOT VALVES with SLIDE (PG. 8)



Any body type

3"	add
4"	add
6"	add
8"	add
10"	add

STRAINERS

OD TUBING



BASIC (pg. 10)

SFS2
SFS3
SFS4
SFS5
SFS6
SFS8
SFS10
SFS12XL w/slide



J - Single Screen (pg. 10)

SFSJ4
SFSJ5
SFSJ6 all sizes
SFSJ8
SFSJ10
Specify w/slide add



JD - Double Decked (pg. 10)

SFSJ4-D
SFSJ5-D
SFSJ6-D all sizes
SFSJ8-D
SFSJ10-D
Specify w/slide add



XL (pg. 10) OD TUBING

SFS6XL
SFS8XL all sizes
SFS10XL
SFS12XL
Specify w/slide add



HORIZONTAL (pg. 10)

SFSH4
SFSH6
SFSH8

STRAINERS FOR PVC PIPE

(or any IPS pipe)



BASIC (pg. 11)

SPVC4
SPVC6
SPVC8
SPVC10



J - Single Screen (pg. 11)

SPVCJ6
SPVCJ8



JD-Double Decked (pg. 11)

SPVCJ6-D
SPVCJ8-D



XL (pg. 11)

SPVC8XL
SPVC10XL
SPVC12
SPVC15
SPVC16

STRAINERS

THREADED

	BASIC (pg. 12)
	SFS2P
	SFS25P
	SFS3P
	SFS4P
	SFS4P w/slide
  	PLS (pg. 12)
	PLS2
	PLS2-OS
	PLS3
	J - Single Screen (pg. 12)
	SFSJ4FP
	SFSJ5FP
	SFSJ6FP
	SFSJ8FP
	SFSJ10FP
	Specify w/slide add
	JD - Double Decked (pg. 12)
	SFSJ4FP-D
	SFSJ5FP-D
	SFSJ6FP-D
	SFSJ8FP-D
	SFSJ10FP-D
	Specify w/slide add

COMPANION FLANGE

	BASIC (pg. 13)
	SFSF2
	SFSF3
	SFSF4
	SFSF6
	SFSF8 (J size strainer)
	J - Single Screen (pg. 13)
	SFSFJ4
	SFSFJ6
	JD - Double Decked (pg. 13)
	SFSFJ4-D
	SFSFJ6-D
	XL (pg. 13)
	SFSF10
	SFSF12

SUBMERSIBLE PUMPS

	PUMP SUPPORT PLUGS (pg. 14)
	(The number after the dash (-) indicates the discharge pipe size)
	4" PVC
	PSP4-1 PSP4-1 1/4
	6" PVC
	PSP6-1 PSP6-1 1/4 PSP6-1 1/2 PSP6-2
	8" PVC
	PSP8-2 PSP8-3 PSP8-4
	MOTOR SUPPORT PADS (pg. 14)
	MSP3 (3 pad set) MSP4 (4 pad set)
	<i>Note: Adjustable motor support pads are included with the 6" and 8" pump support plugs.</i>

SUBMERSIBLE PUMP STRAINERS for IPS PVC Pipe (pg. 14)

	SPS4
	SPS6
	SPS8

LIQUID MANURE STRAINER

	Single Screen (pg. 15)
	SFLMS4
	SFLMS5
	SFLMS6
	SFLMS8
	SFLMS10
	Double Decked (pg. 15)
	SFLMS4-D
	SFLMS5-D
	SFLMS6-D
	SFLMS8-D
	SFLMS10-D

FITTINGS

INTAKE ADAPTERS (pg. 16)



SFA152
SFA22
SFA23
SFA253
SFA33
SFA24
SFA254
SFA34
SFA44
SFA35
SFA45
SFA55
SFA36
SFA46
SFA56
SFA66
SFA48
SFA58
SFA68
SFA88
SFA610
SFA810
SFA1010



INTAKE COUPLERS (pg. 16)



SFC2
SFC3
SFC4
SFC5
SFC6
SFC8
SFC10

SUCTION ELBOWS

90° Elbows (pg. 17)



SFE92
SFE93
SFE94
SFE95
SFE96
SFE98
SFE910

45° Elbows (pg. 17)



SFE42
SFE43
SFE44
SFE45
SFE46
SFE48
SFE410

KLAMPLOX FLANGES (pg. 17)

For each flange required
add the following amount to
the list price of the fitting.



4"	add
5"	add
6"	add
8"	add

TUBING PLUGS (pg. 18)



SFTP2
SFTP3
SFTP4
SFTP5
SFTP6
SFTP8

ALUMINUM COMPANION FLANGES (pg. 19)



SFCF2
SFCF3
SFCF4
SFCF5
SFCF6
SFCF8
SFCF10

ALUMINUM TUBE TEES (pg. 19)



12x10x10
10x10x10

ELBOWS (pg. 19)



4" 90°
6" 90°
8" 90°

FOOT VALVE PARTS

	Part # {size}	2"	3"	4"	5"	6"	8"	10"	12"
 Flange	F {size}								
 Flange Bolt & Nut - reg. stainless steel (quantity required)	FB {size} FB {size}-SS	(4)	(4)	(4)	(4)	(4)	(4)	(6)	
 Ring Gasket	RG {size}								

Body Casting - 45°

 OD Tubing	bodyV {size}								
 Female Thread	bodyV {size}FP								
 Companion Flange	bodyV {size}CF								

Body Casting - Vertical

 OD Tubing	bodyVV {size}								
 Female Thread	bodyVV {size}FP								
 Companion Flange	bodyVV {size}CF								

	Part # {size}	2"	3"	4"	5"	6"	8"	10"	12"
 Valve Flapper Gasket Assembly	VFG {size}A								
 Gasket	VFG {size}								
 Cover	VFC {size}								
 Weight	VFW {size}								
 Cover Weight Bolt-S.S.	CWB {size}-SS								

 Valve Seat Ring	VSR {size}								
 Seat-Body Bolt & Nut -reg. stainless steel (quantity required)	SBB {size} SBB {size}-SS								

 Foot Valve Screen aluminum	SOV {size}								
stainless steel	SOV {size}-SS								

 Screen Bolt & Nut - reg. stainless steel (quantity required)	SBV {size} SBV {size}-SS								
---	-----------------------------	--	--	--	--	--	--	--	--

 Bottom Disk	BDV {size}								
--	------------	--	--	--	--	--	--	--	--

NOTE: When ordering replacement screens - **specify** for foot valves or for intake strainers.
THICKER ALUMINUM SCREENS with 1/8", 1/4" or 1/2" holes are available-double the normal part price.
Foot Valve Drain Kit - Part # **FVDK** \$12.10

FOOT VALVE PARTS

Part # {size} 2" 3" 4" 5" 6"

X-SERIES FOOT VALVE



Valve Seat Ring VSRX {size}

Screens (1/8" holes standard)



9" (height) SO {size} X9
11" (height) SO {size} X11
14" (height) SO {size} X14
18" (height) SO {size} X18



Screen Bolts

9" (height) SBX9
11" (height) SBX11
14" (height) SBX14-SS
18" (height) SBX18-SS



Bottom Disk BDX {size}

J-SERIES FOOT VALVE



Screens

1/8" holes (.080 Thick) SOJ1/8
1/4" holes (.080 Thick) SOJ1/4
1/2" holes (.080 Thick) SOJ1/2
3/4" (.125 Thick) SOJ3/4
1" holes (.125 Thick) SOJ1
1" holes x 36" long SOJ1D
1/4" holes Stainless Steel SOJ1/4-SS
1/8" holes Stainless Steel SOJ1/8-SS

Part

J Screen Bolt & Nut
- stainless steel SBJ-SS



Valve Seat Ring VSRJ {size}



Bottom Disk BDJ



D-Ring DRJ

STRAINER PARTS

2" 3" 4" 5" 6" 8" 10" 12"

BASIC STRAINER



Ring Casting SR {size}



Strainer Screen SOS {size}



Strainer Bolt & Nut-each
(quantity required) SBS {size}



Bottom Disk BDS {size}



Slide SlideS {size}



Ring Bolt RBS {size}

(quantity required)

J and JD STRAINER



Strainer Ring Top SRJ {size}

(For other J parts - see above)



Single Slide SLIDE-J



Double Slide SLIDE-JD

XL STRAINER



Top Casting XLT



XLB



Screens

1/8" holes (.080 Thick) SOXL1/8
1/4" holes (.080 Thick) SOXL1/4
1/2" holes (.080 Thick) SOXL1/2
1" holes (.125 Thick) SOXL1



Support pipe XLSP



Slide Slide-XL

HORIZONTAL STRAINER



Center Assembly CenterSH {size}



Strainer Screen SOSH {size}



Strainer Bolts - each
(quantity required) SBSH {size}-SS



Disk BDSH {size}



D-Ring Casting DRSB {size}



Slide SFSHS

STRAINER PARTS

Part # {size}	4"	6"	8"	10"	12"	15"	16"
	PVC PIPE						
	Top Casting						
	Screen						
	Bottom Disk						
	Bolts						
	SRPVC {size}						
	SOPVC {size}						
	BDPVC {size}						
	SBPVC {size}						

THREADED

	BASIC	Part # {size}	2"	2-1/2"	3"	4"
	Top Casting	SRP {size}				
	Strainer Screen	SOP {size}				
	Bottom Disk	BDP {size}				
	Bolt & Nut	SBP {size}				
	PLS	Part # {size}	2"	2-OS	3"	
	screen	SOPLS {size}				
	J & JD		4"	5"	6"	8"
	Strainer Top	SRJ {size}FP				10"

COMPANION FLANGE

Part # {size}	2"	3"	4"	6"	8"	10"	12"
	Top Ring Casting						
	Ring Flange Bolts & Nuts						
	Strainer Screen						
	Bottom Disk						
	Strainer Bolts						
	SRSF {size}						
	SRFB {size}						
	SOSF {size}						
	BDSF {size}						
	SBSF {size}						

SPECIALTY

Part # {size}	4"	6"	8"
	SUBMERSIBLE		
	Top Ring Casting		
	Strainer Screen		
	Bottom Disk		
	Strainer Bolts		
	SRSPS {size}		
	SOSPS {size}		
	BDSPS {size}		
	SBSPS {size}		

FITTING PARTS

	<u>INTAKE COUPLER</u>	Sleeve Casting	sleeve {size}						
		Flange Casting	F {size}						
		Bolt, Nut & Washer-each (quantity required)	CB {size}						
		Ring Gasket. EPDM	RG {size}						
	<u>SUCTION ELBOW</u>	Part # {size}	2"	3"	4"	5"	6"	8"	10"
	Body 90°	bodyE9{size }							
	Body 45°	bodyE4{size }							
	Flange Casting	F {size}							
	Flange Bolt & Nut-each (quantity required)	FB {size}							
	Ring Gasket. EPDM	RG {size}							
	<u>KLAMPLOX FLANGE</u>	Part # {size}	4"	5"	6"	8"			
	Klamp Flange (2 halves & bolts) and Gasket Seal Ring Casting	KF {size}							